

ATENIC

TH350 Rechargeable touch lamp

Atenic GmbH
Lauchwasenstraße 1
76709 Kronau
Tel: +497253 845 423 4
Email: info@atenic.com

ATENIC all rights reserved
Designs and specifications may change without prior notice.









TH350 Rechargeable touch lamp

Housing Material: Aluminium with powder coating finish

Housing color: white / black (different color is available on request)

Power: 2W

Voltage: DC 5V / 2A

Color : 2000K ~ 4000K **changeable**

CRI > 90

Battery charge time: 4~5 hours

Working time with battery : 12 hours at full power
5days at lower power

Type C USB connector


Touch switch

Double color dimmable

No flickering, nonglare

IP rating: IP54

weight: 740g



 Simple design	 Central lighting	 IP Rating
 Color temperature changeable 2000~4000K	 6600mAh large capacity lithium battery	 Double color dimming



TH350-A Rechargeable touch lamp

Housing Material: Aluminium with powder coating finish

Housing color: white / black (different color is available on request)

Power: 2W

Voltage: DC 5V / 2A

Color : 2000K ~ 4000K **changeable**

CRI > 90

Battery charge time: 4~5 hours

Working time with battery : 12 hours at full power
5days at lower power

Touch switch

Double color dimmable

No flickering, nonglare

IP rating: IP54

weight: 778g



 Simple design	 Central lighting	 IP Rating
 Color temperature changeable 2000~4000K	 6600mAh large capacity lithium battery	 Double color dimming

TH350-A 1 Contact Charging Base



TH350-A 6 Contact Charging Base

