


ATENIC

Low voltage **Quick Fixing** Shelf lighting system
Dimmable, 5years warranty




Atenic GmbH
Lauchwasenstraße 1
76709 Kronau
Tel: +497253 845 423 4
Email: info@atenic.com

ATENIC all rights reserved
Designs and specifications may change without prior notice.




MODEL:147325


light configuration




WA Power:1.5W



MODEL:170325
(only for surface mounting)




WL Power:1.5W



MODEL:147625


light configuration



WA Power:3W



WL Power:3W



MODEL:170625
(only for surface mounting)




Material : Aluminium frame with glass panel
Aluminium frame size :147 x 325 x 30mm
glass size:120 X 300 X 6mm
Input Voltage:24-48VDC
Dimmable
Color Temperature : 2000-6500K
Customized length and finish are available on request

Material : Aluminium frame with glass panel
Aluminium frame size :170 x 325 x 30mm
Glass size:120 X 300 X 6mm
Input Voltage:24-48VDC
Dimmable
Color Temperature : 2000-6500K
Customized length and finish are available on request


Material : Aluminium frame with glass panel
Aluminium frame size: 147 x 625 x 30mm
Glass size:120 X 600 X 6mm
Input Voltage:24-48VDC
Dimmable
Color Temperature : 2000-6500K
Customized length and finish are available on request

Material : Aluminium frame with glass panel
Aluminium frame size: 170 x 625 x 30mm
Glass size:120 X 600 X 6mm
Input Voltage:24-48VDC
Dimmable
Color Temperature : 2000-6500K
Customized length and finish are available on request



Shelf Holder




DC24V-48V
Flush Mounting



DC24V-48V
Surface Mounting






MODEL:310325

light configuration


OF

WLWA Power:3W

WLWS Power:3.5W



MODEL:333325
(only for surface mounting)




MODEL:310625

light configuration

OF

WLWA Power:6W

WLWS Power:7W



MODEL:333625
(only for surface mounting)







Material : Aluminium frame with glass panel
Aluminium frame size :310 x 325 x 30mm
glass size:285 X 300 X 6mm
Input Voltage:24-48VDC
Dimmable
Color Temperature : 2000-6500K
Customized length and finish are available on request



Material : Aluminium frame with glass panel
Aluminium frame size :333 x 325 x 30mm
glass size:285 X 300 X 6mm
Input Voltage:24-48VDC
Dimmable
Color Temperature : 2000-6500K
Customized length and finish are available on request

Material : Aluminium frame with glass panel
Aluminium frame size :310 x 625 x 30mm
glass size:285 X 600 X 6mm
Input Voltage:24-48VDC
Dimmable
Color Temperature : 2000-6500K
Customized length and finish are available on request


Material : Aluminium frame with glass panel
Aluminium frame size :333 x 625 x 30mm
glass size:285 X 600 X 6mm
Input Voltage:24-48VDC
Dimmable
Color Temperature : 2000-6500K
Customized length and finish are available on request

Shelf Holder





SH1222G-2000
12 X 22 X 2000mm



SH2622G-2000
26 X 22 X 2000mm



EC1222








EC1222-B500




EC1222



EC1222-B500



cable from end



cable from bottom